

Material Safety Data Sheet for Neoprene Rubber Adhesive

Section I – Material Identity

| | |
|------------|--------------------------|
| Item Name | Stikfast - SR Adhesive |
| Trade Name | Neoprene Rubber Adhesive |

Section II – Manufacture’s Information

| | |
|------------------|---|
| Manufacture Name | Enelbee Company |
| Address | 8, Subhash Industrial Estate, Oshiwara Marg, Off. S.V. Road, |
| City | Jogeshwari (West) – Mumbai 400 102. |
| State | Maharashtra |
| Country | India |
| Contact Phone | 91-22-26780423, 91-22-26782305 |

Section III – Physical / Chemical Characteristics

| | |
|-------------------|---------------------|
| Appearance / Odor | Amber |
| Boiling Point | 0 – 15 Deg. F |
| Vapor Density | > Air |
| Specific Gravity | 0.9 |
| Evaporation Rate | Faster than N-Bu Ac |

Section IV – Fire and Explosion Hazard Data

| | |
|----------------------------------|---|
| Extinguishing Media | Foam, Dry Chemical, Carbon Dioxide, Water Spray or Fog |
| Unusual Fire / Explosion Hazards | Vapors are heavier than air and may travel to an ignition point distant from the material handling point. |

Section V – Reactivity Data

| | |
|----------------------------------|---|
| Stability | Yes |
| Stability Condition to Avoid | Fire, Sparks, Static Electricity |
| Material to Avoid | Strong Oxidizing Agents, Strong Acids and Bases |
| Hazardous Decomposition Products | Carbon Monoxide, Carbon Dioxide |

Section VI – Health Hazard Data

| | |
|--|--|
| Route of Entry: Skin | Yes |
| Route of Entry: Ingestion | Yes |
| Route of Entry: Inhalation | Yes |
| Route of Entry: Eyes | Yes |
| Health Hazards – Acute and Chronic (Symptoms of Over Exposure) | May cause irritation to nose, throat and eyes. Inhalation may cause headache, vomiting, faintness or dizziness, intoxication, nasal and or respiratory irritation. |

Intoxication: Can cause gastrointestinal irritation, nausea and vomiting. Aspiration into lungs may cause nose or throat irritation. High concentration may cause severe acute central nervous system depression.

Eyes contact: May cause severe eye irritation and corneal damage.

Skin contact: Prolonged contact can cause moderate irritation, defatting or dermatitis.

Emergency / First Aid Procedures

Eyes contact: Flush for at least 15 minutes with clean lukewarm water lifting eyelids. Obtain medical attention.

Skin Contact: Thoroughly wash exposed area with soap & water. Remove contamination clothing and launder before reuse.

Ingestion: Consult physician, do not induce vomiting. Keep person warm and quite.

Inhalation: Remove to an area free of risk of further exposure. Administer oxygen or artificial respiration as needed. Obtain medical attention.

Section VII – Precaution for Safe Handling and Use

Steps if Material Released / Spilled

Remove ignition sources. Recover free liquid. Add absorbent material to spill. Avoid breathing vapors. Ventilate confined spaces. Use non-sparking tools, keep products out of sewers and / or waterways. Small spill: allow volatiles portion to evaporate in well ventilated area. Dispose

| | |
|-------------------------------|---|
| | of remaining material in accordance with applicable regulation. |
| | Large spill: Dispose of material by incineration or deposition on an approved landfill, in accordance with local regulation. |
| Hygienic Practices | Use good personal hygiene practices, wash hand before eating, drinking, smoking or using toilet facilities. Promptly remove contaminated clothing. Wash thoroughly before reuse. Shower after work using soap and water. |
| Handling & Storage Precaution | Keep container closed when not in use. Store at 60-95 F, out of sun. Use adequate ventilation to avoid breathing vapors when cover is removed |
| Other Precaution | Ground all equipments when handling flammable solvent borne materials. |

Section VIII – Control Measures

| | |
|----------------------------|--|
| Respiratory Protection | Use self contained organic mask approved by ISI. Air purifying or supplied air respiration operated in a positive pressure mode. |
| Ventilation | Sufficient to avoid breathing vapors. |
| Protective Gloves | Chemical resistant gloves. |
| Eye Protection | Safety glasses or face shield. |
| Other Protection Equipment | Barrier cream or sensitive skin. |

Information presented herein has been compiled from sources considered to be accurate and reliable, but is not guaranteed to be so. Nothing herein shall be considered as recommending practices or products in violation of any patent, law or regulation. It is the user's responsibility to determine the suitability of any material for a specific purpose and to adopt such safety precautions as may be necessary. WE MAKE NO WARRANTIES REGARDING THE PRODUCTS AND DISCLAIM ALL EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.